

STATE OF CALIFORNIA  
 CALIFORNIA ENVIRONMENTAL PROTECTION AGENCY  
 STATE WATER RESOURCES CONTROL BOARD

DIVISION OF WATER RIGHTS

**PERMIT FOR DIVERSION AND USE OF WATER**

**PERMIT 21085**

Application 29331 of Muir Beach Community Services District  
 19 Seacape Drive, Star Box 221  
 Muir Beach, CA 94965-9701

filed on **August 31, 1988**, has been approved by the State Water Resources Control Board (SWRCB) SUBJECT TO PRIOR RIGHTS and to the limitations and conditions of this permit.

**Permittee is hereby authorized to divert and use water as follows:**

1. Source of water

Source:  
Redwood Creek underflow

Tributary to:  
Pacific Ocean

within the County of **Marin**

2. Location of point of diversion

By California Coordinate System in Zone 3	40-acre subdivision of public land survey or projection thereof	Section (Projected)*	Township	Range	Base and Meridian
<b>MBCSD Supply Well; North 506,650 feet and East 1,398,850 feet</b>	<b>SW¼ of NE¼</b>	<b>01*</b>	<b>1S</b>	<b>7W</b>	<b>MD</b>

3. Purpose of use	4. Place of use	Section (Projected)*	Township	Range	Base and Meridian	Acres
<b>Domestic</b>	<b>NW¼ of NW¼</b>	<b>07*</b>	<b>1S</b>	<b>6W</b>	<b>MD</b>	
	<b>SW¼ of NW¼</b>	<b>07*</b>	<b>1S</b>	<b>6W</b>	<b>MD</b>	
	<b>NE¼ of NE¼</b>	<b>12*</b>	<b>1S</b>	<b>7W</b>	<b>MD</b>	
	<b>SE¼ of NE¼</b>	<b>12*</b>	<b>1S</b>	<b>7W</b>	<b>MD</b>	

The place of use is shown on map on file with the SWRCB.

5. The water appropriated shall be limited to the quantity which can be beneficially used and shall not exceed 0.07 cubic feet per second to be diverted from January 1 to December 31 of each year. The maximum amount diverted under this permit shall not exceed 50.6 acre-feet per year. The maximum rate of direct diversion shall not exceed 0.07 cubic feet per second based on a 30-day average.
 

(0000005A)
6. Complete application of the water to the authorized use shall be made by December 31, 2011.
 

(0000009)
7. Permittee shall install a device, satisfactory to the Chief of the Division of Water Rights, which is capable of measuring the bypass flows required by the conditions of this permit. Said measuring device shall be properly maintained.
 

(0060062b)
8. Permittee shall install and maintain devices satisfactory to the Chief of the Division of Water Rights to measure the instantaneous rate of diversion diverted under this permit in cubic feet per second, the daily quantity of water diverted under this permit in gallons per day. A record of such measurements shall be maintained by the permittee, and made available to interested parties upon reasonable request. A copy of the records shall be submitted to the State Water Resources Control Board with the annual "Progress Report by Permittee".
 

Permittee shall allow the National Park Service or a designated representative, reasonable access to measuring devices for the purpose of verifying measurement readings.

(000000R)











